

Village of Slinger
Incorporated 1869
Washington County
300 Slinger Road
Slinger, Wisconsin 53086



Slinger Utilities
Electric, Water, Sewer and
Stormwater
Telephone: (262) 644-5265
Facsimile: (262) 644-6341

AGENDA

For a Regular Planning Commission Meeting of the Planning Commission of the Village of Slinger to be Held at 300 Slinger Road Slinger, Wisconsin 53086 on Wednesday, June 10, 2026 at 6:00 PM

1. Call to Order

Roll Call
2. Approval of Minutes

A. 5-13-2026 Approval of Minutes
3. New Business and Action Thereon

A. Discussion- Proposed Changes to Section 550-13 Use Restrictions for Accessory Structures
4. Unfinished Business and Action Thereon

A. Discussion- Proposed Changes to Article X Development Control

B. Discussion- Proposed Creation of Section 550-50.1 Snow Storage

C. Discussion- Proposed Changes to Section 550-68 Yards-Related to Fences

D. Discussion- Proposed Changes to Section 550-61 Permitted Permanent Signs

E. Discussion- Proposed Changes to Section 550-28 Village Center-Downtown District; 550-29 B-2 Commercial District and 550-30 B-3 Commercial District for Permitted Uses & Conditional Uses in Each District
 - E1. Commercial District Proposed Changes
 - E2. Commercial District Format Options
5. Adjourn

"Members of the Village Board & Committee members may attend the above meeting. Pursuant to State ex rel. Badke v. Greendale Village Board, 173 Wis. 2d 553, 494 N.W. 2d 408 (1993) such attendance may be considered a meeting of the Village Board or of any such Committee. This notice is given so that members of the Village Board & Committee members may attend the meeting without violating the open meeting law. No action will be taken at this meeting by any Village governing body except by the governing body identified in the caption of this notice."

"Upon reasonable notice, efforts will be made to accommodate persons with disabilities requiring special accommodations for attendance at the meeting. For additional information and to request services, contact the Village Clerk at (262)644-5265."